

**CITY OF BARDSTOWN
LAND DISTURBANCE PERMIT
SUPPLEMENT**

(Must be completed before Land Disturbance Permit can be issued.)

Permit ID: _____

Owner _____ Contractor _____

Lot Number _____ Subdivision or Location Name _____

Address of Site _____

Initial each line indicating your intent to comply with the following:

_____ Permit expires one (1) year from date of issuance

_____ Maximum width of driveway or entrance

- Commercial - 30 feet
- Residential - 24 feet
- 3 feet from property line

_____ Inspection required prior to form driveway being poured (call Chris Sallee 502-203-3540)

_____ Culvert must be installed prior to construction work

_____ Job site must maintain all BMP's – Best Management Practices

_____ Containment structure for concrete waste and truck wash water must be on site

_____ Job site silt and sediment must be contained on site

_____ Construction entrance must meet all requirements to be installed prior to construction

- Minimum: 50' L x 20' W x 6" D
- Filter fabric underliner
- #2 Stone

_____ Typical drainage swales to be constructed centered on side and rear lot lines

- See plat or subdivision regulations
- 5' drainage easement on each side of property line

_____ Positive drainage away from structure and through adjoining lots

_____ All sidewalks must be ADA compliant, which requires a 2% cross slope, ramps on corner lots

_____ Site must contain 70% vegetation prior to the release of the bond

Signature of Person Responsible for Compliance

Date